

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTANXR1625

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 JAN 02 STN pricing information for 2008 now available
NEWS 3 JAN 16 CAS patent coverage enhanced to include exemplified
prophetic substances
NEWS 4 JAN 28 USPATFULL, USPAT2, and USPATOLD enhanced with new
custom IPC display formats
NEWS 5 JAN 28 MARPAT searching enhanced
NEWS 6 JAN 28 USGENE now provides USPTO sequence data within 3 days
of publication
NEWS 7 JAN 28 TOXCENTER enhanced with reloaded MEDLINE segment
NEWS 8 JAN 28 MEDLINE and LMEEDLINE reloaded with enhancements
NEWS 9 FEB 08 STN Express, Version 8.3, now available
NEWS 10 FEB 20 PCI now available as a replacement to DPCI
NEWS 11 FEB 25 IFIREF reloaded with enhancements
NEWS 12 FEB 25 IMSPRODUCT reloaded with enhancements
NEWS 13 FEB 29 WPINDEX/WPIDS/WPIX enhanced with ECLA and current
U.S. National Patent Classification
NEWS 14 MAR 31 IFICDB, IFIPAT, and IFIUDB enhanced with new custom
IPC display formats
NEWS 15 MAR 31 CAS REGISTRY enhanced with additional experimental
spectra
NEWS 16 MAR 31 CA/CAPLUS and CASREACT patent number format for U.S.
applications updated
NEWS 17 MAR 31 LPCI now available as a replacement to LDPCI
NEWS 18 MAR 31 EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS 19 APR 04 STN AnaVist, Version 1, to be discontinued

NEWS EXPRESS FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 17:15:52 ON 09 APR 2008

```
=> file reg
COST IN U.S. DOLLARS
```

SINCE FILE	TOTAL
ENTRY	SESSION
0.21	0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 17:16:00 ON 09 APR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

```
STRUCTURE FILE UPDATES:      8 APR 2008  HIGHEST RN 1012980-81-2
DICTIONARY FILE UPDATES:    8 APR 2008  HIGHEST RN 1012980-81-2
```

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.


REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

```

=>
Uploading C:\Program Files\Stnexp\Queries\10563361.str

```



```

chain nodes :
6 7 8 16 17 21 22 23
ring nodes :
1 2 3 4 5 10 11 12 13 14 15 26 27 28 29 30 31
chain bonds :
2-6 5-8 6-26 6-7 8-10 13-16 16-17 17-21 21-22 22-23
ring bonds :
1-2 1-5 2-3 3-4 4-5 10-11 10-15 11-12 12-13 13-14 14-15 26-27 26-31
27-28 28-29 29-30 30-31
exact/norm bonds :
1-2 1-5 2-3 2-6 3-4 4-5 5-8 6-26 6-7 8-10 10-11 10-15 11-12 12-13
13-14 13-16 14-15 16-17 17-21 21-22 22-23
normalized bonds :
26-27 26-31 27-28 28-29 29-30 30-31
isolated ring systems :
containing 1 : 26 :
```

G1:C,O,S,N

```


Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 10:Atom 11:Atom
12:Atom 13:Atom 14:Atom 15:Atom 16:CLASS 17:CLASS 21:CLASS 22:CLASS
23:CLASS 26:Atom 27:Atom 28:Atom 29:Atom 30:Atom 31:Atom
```

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 17:16:25 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 748 TO ITERATE

100.0% PROCESSED 748 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 13320 TO 16600

PROJECTED ANSWERS: 1 TO 80

L2 1 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 17:16:29 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 15374 TO ITERATE

100.0% PROCESSED 15374 ITERATIONS

3 ANSWERS

SEARCH TIME: 00.00.01

L3 3 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

	ENTRY	SESSION
FULL ESTIMATED COST	178.36	178.57

FILE 'CAPLUS' ENTERED AT 17:16:33 ON 09 APR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 Apr 2008 VOL 148 ISS 15
FILE LAST UPDATED: 8 Apr 2008 (20080408/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l3 full

L4 3 L3

=> d ibib abs hitstr tot

ACCESSION NUMBER: 2006:700231 CAPLUS

DOCUMENT NUMBER: 145:167259

TITLE: Preparation of heterocyclic derivatives as PPAR α and PPAR γ agonists

INVENTOR(S): Takahashi, Yoko; Nagata, Ryu; Ushiroda, Kantaro

PATENT ASSIGNEE(S): Dainippon Sumitomo Pharma Co., Ltd., Japan

SOURCE: PCT Int. Appl., 195 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006075638	A1	20060720	WO 2006-JP300248	20060112
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM EP 1837329 A1 20070926 EP 2006-702664 20060112 R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR PRIORITY APPLN. INFO.: JP 2005-6950 A 20050114 WO 2006-JP300248 W 20060112				

OTHER SOURCE(S): MARPAT 145:167259

GI



AB The title compds. I [the ring Z is an optionally substituted heteroaryl; W4 is a single bond, lower alkenylene, lower alkenylene, etc.; Ar2 is an optionally substituted aryl, optionally substituted heteroaryl; W3 is a single bond, lower alkenylene, lower alkenylene, etc.; Ar1 is an optionally substituted arylene, optionally substituted heteroarylene; each of W1 and W2 is an optionally substituted lower alkenylene, optionally substituted lower alkenylene; and R1 is carboxyl, an alkoxy carbonyl, optionally substituted carbamoyl, etc.] are prepared. Thus, 2-methyl-2-[(4-((1Z)-3-[2-(4-methylbenzoyl)-1H-pyrrol-1-yl]prop-1-en-1-yl)benzyl)oxy]propionic acid was prepared in a multistep process starting from 1-benzenesulfonyl-1H-pyrrole and p-toluoyl chloride. The PPAR α and PPAR γ agonist activities of compds. of this invention at 10 μ M were demonstrated.

IT 900182-33-4P 900182-63-0P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of heterocyclic derivs. as PPAR α and PPAR γ agonists)

RN 900182-33-4 CAPLUS

CN Propanoic acid, 2-[[[4-[[3-(4-methylbenzoyl)-1H-pyrrol-1-yl]methyl]phenyl]methoxy]-, (2R)- (CA INDEX NAME)

Absolute stereochemistry.




RN 900182-63-0 CAPLUS

CN Propanoic acid, 2-[[[(2E)-3-[4-[[3-(4-methylbenzoyl)-1H-pyrrol-1-yl]methyl]phenyl]-2-propen-1-yl]oxy]-, (2R)- (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.



REFERENCE COUNT:


18

THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2006:677588 CAPLUS
 DOCUMENT NUMBER: 145:124570
 TITLE: Preparation of 2-benzoylpyrrole, 2-benzoylimidazole, 2-benzoylbenzimidazole derivatives and related compounds for treatment or prevention of hyperlipidemia, arteriosclerosis, and/or metabolic syndrome
 INVENTOR(S): Nagano, Tomokazu
 PATENT ASSIGNEE(S): Dainippon Pharmaceutical Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 181 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2006182668	A	20060713	JP 2004-375862	20041227

PRIORITY APPLN. INFO.:
 OTHER SOURCE(S): MARPAT 145:124570
 GI



I



II

AB The title comps. [e.g. I; Zb = (un)substituted pyrrole, pyrazole, imidazole, triazole, indole, indazole, or benzimidazole; W2b = a single bond, SO, SO2, (un)substituted CONH or SO2NH, (un)substituted C1-4 alkylene, C2-4 alkenylene, or C2-4 alkynylene optionally two H atoms of methylene group substituted with O to form a CO group; Ar1b, Ar2b = (un)substituted aryl or heteroaryl; W1b = (un)substituted C1-5 alkylene, C2-5 alkenylene, or C2-5 alkynylene, -Yb-W3b- (Yb = O, S, (un)substituted NH; W3b = (un)substituted C1-4 alkylene, C2-4 alkenylene, or C2-4 alkynylene), etc.; X1b = SO2, OCO2, SO2O, (un)substituted CONHSO2, NHSO2, NHCO, SO2NHCO, SO2NH, CONH, OCONH, NHCONH, or NHC(NH2):N-, etc.; R1b = CO2H, alkoxycarbonyl, (un)substituted CONH2, cyclic aminocarbonyl, alkylsulfonylcarbonyl, arylsulfonylcarbonyl, or heteroarylsulfonylcarbonyl, tetrazolyl, 2,4-dioxoxazolidin-5-yl, etc.] are prepared These comps. are agonists (activators) of PPAR α and/or PPAR γ and not only improve hyperglycemia but also possess lipid improving activity such as improving hypertriglyceridemia and increasing HDL cholesterol. They are useful for the treatment or prevention of

hyperlipidemia, arteriosclerosis, and/or the metabolic syndrome. For example, compound (II).Na activated human PPAR α and human PPAR γ by 15.1 and 7.0%, resp., at 10 μ M. When it was administered to mice at 30 mg/kg for 2 wk p.o., it lowered blood sugar and triglyceride by 70 and 89%, resp., and increased HDL by 41%.

IT 840502-82-1P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)


(preparation of 2-benzoylpyrrole, 2-benzoylimidazole, 2-benzoylbenzimidazole derivs. and related compds. for treatment or prevention of hyperlipidemia, arteriosclerosis, and/or metabolic syndrome)

RN 840502-82-1 CAPLUS

CN Propanoic acid, 2-[[4-[(1E)-3-[3-(4-methylbenzoyl)-1H-pyrrol-1-yl]-1-propenyl]phenyl]methoxy]-, (2R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

Double bond geometry as shown.



L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2005:120880 CAPLUS
 DOCUMENT NUMBER: 142:219144
 TITLE: Preparation of benzoylpyrrole derivatives as PPAR agonist
 INVENTOR(S): Watanabe, Ken-ichi; Maruta, Katsunori; Ushiroda, Kantaro; Nagata, Ryu
 PATENT ASSIGNEE(S): Sumitomo Pharmaceuticals Co., Ltd., Japan
 SOURCE: PCT Int. Appl., 121 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005012245	A1	20050210	WO 2004-JP10282	20040713
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2531064	A1	20050210	CA 2004-2531064	20040713
EP 1647546	A1	20060419	EP 2004-747746	20040713
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
US 20060194857	A1	20060831	US 2004-563361	20040713
CN 1849303	A	20061018	CN 2004-80026235	20040713
IN 2006CN00142	A	20070629	IN 2006-CN142	20060112
MX 2006PA00539	A	20060330	MX 2006-PA539	20060113
PRIORITY APPLN. INFO.:			JP 2003-274684	A 20030715
			WO 2004-JP10282	W 20040713
OTHER SOURCE(S):	MARPAT 142:219144			
GI				



AB Title compds. represented by the formula I [wherein ring Z = (un)substituted heteroaryl; R1 = carboxyl, alkoxycarbonyl, (un)substituted carbamoyl, etc.; W1, W2 = independently (un)substituted alkyl; Ar1 = (un)substituted (hetero)arylene; W3 = single bond, alkylene, alkenylene or Y1W5; Y1 = O, S, SO or SO2; W5 = alkylene or alkenylene; W4 = single bond, amino(alkylene), alkylene, alkenylene; Ar2 = (un)substituted (hetero)aryl; their prodrugs, and pharmaceutically acceptable salts thereof] were prepared as PPAR α and PPAR γ agonist. For example, II was given in a multi-step synthesis starting from Me 2-hydroxyisobutyrate. Selected I showed agonist activity of PPAR α and PPAR γ , and were tested for lowering blood sugar effect. Thus, I are useful as PPAR α and PPAR γ agonists for the treatment of diabetes.

IT 840502-82-1P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)


(preparation of benzoylpyrrole derivs. as PPAR agonist for treatment of diabetes)

RN 840502-82-1 CAPLUS

CN Propanoic acid, 2-[[4-[(1E)-3-[3-(4-methylbenzoyl)-1H-pyrrol-1-yl]-1-propenyl]phenyl]methoxy]-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.



REFERENCE COUNT:

14

THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

16.83

195.40

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-2.40

-2.40

STN INTERNATIONAL LOGOFF AT 17:17:05 ON 09 APR 2008